

Location Exits

aka. Warp Triggers, Entrance Triggers

Overview

When the player steps in a specific coordinate on the map, he is transported to a new map with new coordinates.

Offsets

Exits (short)	
Description	Value
Pointers (16-bit)	\$DFBB00
Nr of Pointers (bytes)	\$0201 (\$0402)
Data Address	\$DFBF02
Block size	\$06
Exits (long)	
Description	Value
Pointers (16-bit)	\$EDF480
Nr of Pointers (bytes)	\$0201 (\$0402)
Data Address	\$EDF882
Block size	\$07

The structure is a sequence of two-byte pointers. The index of the pointer is relative to the map number.

The actual offset of the appointed data is the pointer value plus the pointer offset.

The game system checks the actual pointer and the next pointer to determinate the amount of data to read. It can include multiple data blocks.

Data

Exits (short)	
Offset	Description
\$00	X position, actual map
\$01	Y position, actual map
\$02	new map, low byte

Exits (short)		
Offset	Description	
\$03	\$01	new map, high bit
	\$02	refresh parent map (from world map)
	\$04	enter on low Z-level?
	\$08	display location name
	\$30	direction facing
	\$40	?
	\$80	?
\$04	X position, new map	
\$05	Y position, new map	
Exits (long)		
Offset	Description	
\$00	X position, actual map	
\$01	Y position, actual map	
\$02	\$7F	Spread Size
	\$80	Horizontal/Vertical
\$03	new map, low byte	
\$04	\$01	new map, high bit
	\$02	refresh parent map (from world map)
	\$04	enter on low Z-level?
	\$08	display location name
	\$30	direction facing
	\$40	?
	\$80	?
\$05	X position, new map	
\$06	Y position, new map	

Notes

The coordinates of the new map must be valid. Otherwise, the player can be stuck in a no-walkable tile and unable to move. Also, the warp system won't work correctly if the new coordinates bypass the new map maximum coordinates.

From:
<https://www.ff6hacking.com/wiki/> - ff6hacking.com wiki

Permanent link:
<https://www.ff6hacking.com/wiki/doku.php?id=ff3:ff3us:doc:asm:fmt:warp&rev=1471218535>

Last update: 2019/02/12 13:16

