

Insert Manually a Song Available on the Forum

In this tutorial we'll be importing in FF3us a song that is already in FF6 music format. There is no need for musical knowledge to be able to complete the following steps. The only things that will help is being familiar with the hexadecimal system as well as some basic ROM hacking knowledge like what is an offset, the difference between an absolute and hrom offset and how to use an hex editor.

1. Getting the file and tool

We'll be using the FFIV song "[The Prologue](#)" from our [Song Database](#). The other thing you will need is a hex editor. There are many you can choose from but I'd suggest one that has a copy selection, paste-write and paste-insert functionalities. One good all purpose hex editor is [HxD](#) and this is what has been used to take the screenshots below.

2. Files we will be importing

Extract the files from **FF4_prologue.7z** and you will see the following files:

| Name | Date modified | Type | Size |
|---|----------------------|--------------------|-------|
|  prologue.spc | 2015-01-31 12:01 ... | Chipamp SNES Ch... | 65 KB |
|  prologue_DATA.bin | 2015-01-30 12:39 ... | BIN File | 2 KB |
|  prologue_INST.bin | 2015-01-29 7:34 PM | BIN File | 1 KB |

prologue.spc is the song in SNES format. Those can be played with a SPC player or with winamp and a plug-in. For more info on SPC file and how to play them, use Google or check the great [extracted music tutorial](#) at FantasyAnime.com. **prologue_DATA.bin** and **prologue_INST.bin** are two binary files, the first has the music data in FF6 format and the other the instruments used in the song. The DATA and INST files do not contain instrument samples, those are in the game.

All songs in our song database have the three same files. Some songs, mostly done by tsushiy and having a small "p" next to their title need the instrument patch, available in the same thread. This patch install new BRR samples in the game, giving access to a wider range of instruments to use in songs. Some songs instrument file use those added instruments. This is not the case of our prologue song.

3. Choosing the right spot

The first thing that you have to ask yourself is *"do I want to replace an existing song or expand the number of existing songs?"* If you only want to replace a existing song you can skip to section 4. To expand the number of songs there are few thing to do. First you have to move the \$C53E96-\$C53F94 song pointers block because there is no room to add an extra one. To find a spot in non-expanded ROM, you can look [here](#). The offsets in this list take in account the ROM header though while my whole tutorial assume you have a headerless ROM, so substract 0x200 from the offset you choose. You can also expand your ROM and put the pointers in the \$FX banks.

I decided for the example to take the \$EEAF01 spot, which has 767 free bytes, which is more than enough. As shown in the image below, I select with the mouse the pointer block, I do *Ctrl+C*, *Ctrl+G* to enter my destination (you can scroll a long time for the same result) and then *Right-Click→Paste write*. Now let's say I would put my song at \$F30540 in expanded ROM, I would type **40 05 F3** at \$EEB0000 (see right picture). You would use song ID \$56 for your new song in game events as an example. As you have guessed pointers are always inverted whether they are two or three bytes long. As for the old pointer data copied, you can blank with 00 or FF all the data since you moved it, giving you room for other things if needed.

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 00053E80 | FF | E0 | FF | E0 | FF | E0 | FF | E0 | FF | E0 | FF | E0 | FF | E0 | FF | E0 |
| 00053E90 | FF | E0 | FF | EC | FF | E0 | 7A | 5C | C8 | A0 | 5C | C8 | DB | 83 | C9 | 9D |
| 00053EA0 | B4 | C8 | 82 | C8 | C8 | 1E | 64 | C8 | 33 | 67 | C8 | 69 | 6D | C8 | C5 | 70 |
| 00053EB0 | C8 | BF | 74 | C8 | F8 | 78 | C8 | AF | 7C | C8 | 28 | 80 | C8 | 38 | 84 | C8 |
| 00053EC0 | 9A | 88 | C8 | ED | 8B | C8 | 56 | 8F | C8 | 6F | 95 | C8 | 29 | 98 | C8 | 62 |
| 00053ED0 | 9B | C8 | D4 | A5 | C8 | 36 | AD | C8 | B8 | B7 | C8 | E8 | BF | C8 | 4C | C2 |
| 00053EE0 | C8 | C1 | CE | C8 | 30 | D3 | C8 | 56 | DA | C8 | BF | DD | C8 | 6B | E1 | C8 |
| 00053EF0 | 57 | E3 | C8 | E2 | E3 | C8 | 48 | EA | C8 | A6 | EF | C8 | 72 | F4 | C8 | 15 |
| 00053F00 | FA | C8 | 43 | FE | C8 | 4B | 05 | C9 | E9 | 05 | C9 | 66 | 0A | C9 | B6 | 90 |
| 00053F10 | C9 | A2 | 93 | C9 | 9C | 14 | C9 | 14 | 8E | C9 | 5F | 97 | C9 | 4C | 1A | C9 |
| 00053F20 | DD | 1E | C9 | 8F | 26 | C9 | 97 | 29 | C9 | 0B | 2E | C9 | 58 | 32 | C9 | FF |
| 00053F30 | 37 | C9 | AE | 3F | C9 | 65 | 44 | C9 | B3 | 4A | C9 | 6F | 4D | C9 | 16 | 53 |
| 00053F40 | C9 | DB | 53 | C9 | C5 | 54 | C9 | 57 | 55 | C9 | C9 | 62 | C9 | CD | 63 | C9 |
| 00053F50 | 03 | 69 | C9 | 6E | 6A | C9 | 19 | 6B | C9 | C2 | 6B | C9 | DA | 70 | C9 | C9 |
| 00053F60 | 71 | C9 | 06 | 7A | C9 | EB | 7C | C9 | 7C | 7F | C9 | 42 | 88 | C9 | 99 | 8C |
| 00053F70 | C9 | E8 | 8C | C9 | 85 | 8D | C9 | DF | 97 | C9 | BF | 9D | C9 | 4F | A2 | C9 |
| 00053F80 | D8 | A3 | C9 | 51 | AC | C9 | 9F | AE | C9 | 7A | 5C | C8 | B9 | B9 | C9 | F9 |
| 00053F90 | BA | C9 | 3F | DF | C9 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 00053FA0 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 002EAEF0 | A9 | D0 | 50 | 8F | 5C | B8 | 7E | A9 | 90 | E0 | 8F | 5E | B8 | 7E | E2 | 20 |
| 002EAF00 | 60 | 7A | 5C | C8 | A0 | 5C | C8 | DB | 83 | C9 | 9D | B4 | C8 | 82 | C8 | C8 |
| 002EAF10 | 1E | 64 | C8 | 33 | 67 | C8 | 69 | 6D | C8 | C5 | 70 | C8 | BF | 74 | C8 | F8 |
| 002EAF20 | 78 | C8 | AF | 7C | C8 | 28 | 80 | C8 | 38 | 84 | C8 | 9A | 88 | C8 | ED | 8B |
| 002EAF30 | C8 | 56 | 8F | C8 | 6F | 95 | C8 | 29 | 98 | C8 | 62 | 9B | C8 | D4 | A5 | C8 |
| 002EAF40 | 36 | AD | C8 | B8 | B7 | C8 | E8 | BF | C8 | 4C | C2 | C8 | C1 | CE | C8 | 30 |
| 002EAF50 | D3 | C8 | 56 | DA | C8 | BF | DD | C8 | 6B | E1 | C8 | 57 | E3 | C8 | E2 | E3 |
| 002EAF60 | C8 | 48 | EA | C8 | A6 | EF | C8 | 72 | F4 | C8 | 15 | FA | C8 | 43 | FE | C8 |
| 002EAF70 | 4B | 05 | C9 | E9 | 05 | C9 | 66 | 0A | C9 | B6 | 90 | C9 | A2 | 93 | C9 | 9C |
| 002EAF80 | 14 | C9 | 14 | 8E | C9 | 5F | 97 | C9 | 4C | 1A | C9 | DD | 1E | C9 | 8F | 26 |
| 002EAF90 | C9 | 97 | 29 | C9 | 0B | 2E | C9 | 58 | 32 | C9 | FF | 37 | C9 | AE | 3F | C9 |
| 002EAF00 | 65 | 44 | C9 | B3 | 4A | C9 | 6F | 4D | C9 | 16 | 53 | C9 | DB | 53 | C9 | C5 |
| 002EAFB0 | 54 | C9 | 57 | 55 | C9 | C9 | 62 | C9 | CD | 63 | C9 | 03 | 69 | C9 | 6E | 6A |
| 002EAF00 | C9 | 19 | 6B | C9 | C2 | 6B | C9 | DA | 70 | C9 | C9 | 71 | C9 | 06 | 7A | C9 |
| 002EAFD0 | EB | 7C | C9 | 7C | 7F | C9 | 42 | 88 | C9 | 99 | 8C | C9 | E8 | 8C | C9 | 85 |
| 002EAFE0 | 8D | C9 | DF | 97 | C9 | BF | 9D | C9 | 4F | A2 | C9 | D8 | A3 | C9 | 51 | AC |
| 002EAFF0 | C9 | 9F | AE | C9 | 7A | 5C | C8 | B9 | B9 | C9 | F9 | BA | C9 | 3F | DF | C9 |
| 002EB000 | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF | FF |

The next thing to do is to change the following code. It's the only place pointers are read and you have to modify each LDA instruction so new base offset, new base offset + 1, new base offset + 2. This is not an ASM course so I'm not explaining further except only mentioning you have a total of 9 bytes to change.

Original code

```
C5/0538: BF963EC5    LDA $C53E96,X (SPC pointer low byte)
C5/053C: 8510        STA $10
C5/053E: BF973EC5    LDA $C53E97,X (SPC pointer middle byte)
C5/0542: 8511        STA $11
C5/0544: BF983EC5    LDA $C53E98,X (SPC pointer high byte)
C5/0548: 8512        STA $12
```

Modified code

```
C5/0538: BF01AFEE    LDA $EEAF01,X (SPC pointer low byte)
C5/053C: 8510        STA $10
C5/053E: BF02AFEE    LDA $EEAF02,X (SPC pointer middle byte)
C5/0542: 8511        STA $11
C5/0544: BF03AFEE    LDA $EEAF03,X (SPC pointer high byte)
C5/0548: 8512        STA $12
```

Last thing to do is changing the total number of songs. The offset is \$C53C5E. It's a single byte that should be \$55. Increase it of one each time you add a new song (replacing an existing one does not count). So congratulation you have not expanded pointer and can add as much songs as you want up to a limit of 255!

4. Verifying the song length

The next thing to do is verifying if your song fit in the spot you have chosen. If you expanded the song pointers and put your song in expanded ROM, you'll likely won't have to consider the following but some info is still important. Open the **prelude_DATA.bin** file with HxD. The first two bytes (inverted) are the amount of bytes the song take. In our case it is 0x044C bytes, as seen below.

```
Offset(h) 00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F
00000000 4C 04 26 00 4C 04 26 00 E6 00 63 01 02 02 8B 02
```

You have to verify the song will not “hit” the next song or the data after. If you locate your song in regular non-expanded ROM but outside the songs block, refer to the [ROM map](#) to verify. All you have to do is add to your song offset the song length and verify it is lower than next data. If you only replace a song by *The Prelude*, check the [song list](#). Song are in order that they appear in the ROM. You need to consider the song following yours. I decided we are replacing “*Another World of Beast*”.

| | | |
|------|----------|-------------------------|
| \$21 | \$C8EFA6 | Another World of Beasts |
| \$22 | \$C8F472 | Grand Finale #2 |

$$\text{\$C8F472} - \text{\$C8EFA6} = 0\text{x04CC}$$

We are below the limit with our 0x044C bytes for *The Prelude* so we are ready to insert the song!

5. Copying the song data

Copy all the content of **prelude_DATA.bin** (*Ctrl+C*) go to your ROM do *Ctrl+G* and enter "08EFA6". You'll land on the offset you need to paste the song data (*Right-click→Paste-write*). The below two screenshots are the beginning and ed of the song pasted.

| Offset (h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 0008EF60 | 53 | 53 | C4 | 32 | 4C | B3 | C4 | 1E | 53 | 53 | C4 | 32 | 4E | 4E | 4E | 4C |
| 0008EF70 | B3 | C4 | 1E | 53 | 53 | C4 | 32 | 47 | E3 | E2 | 01 | C4 | 0A | C5 | 60 | 46 |
| 0008EF80 | E2 | 1F | 53 | E3 | C5 | 60 | 0A | E2 | 1F | 53 | E3 | C4 | 32 | 4C | B3 | C4 |
| 0008EF90 | 1E | 53 | 53 | C4 | 32 | 4C | B3 | C4 | 1E | 53 | 53 | C4 | 32 | 47 | E3 | B6 |
| 0008EFA0 | B6 | B6 | B6 | F6 | 18 | EF | 4C | 04 | 26 | 00 | 4C | 04 | 26 | 00 | E6 | 00 |
| 0008EFB0 | 63 | 01 | 02 | 02 | 8B | 02 | 48 | 03 | B9 | 03 | E8 | 03 | 26 | 00 | E6 | 00 |
| 0008EFC0 | 63 | 01 | 02 | 02 | 8B | 02 | 48 | 03 | B9 | 03 | E8 | 03 | F2 | 32 | D4 | D9 |
| 0008EFD0 | 01 | F0 | 78 | C4 | 3C | C6 | 1E | DC | 20 | D6 | 05 | 47 | AC | 4F | B3 | 4F |
| 0008EFE0 | 4F | B3 | 4A | 4A | 4A | 4A | 71 | AC | 79 | B3 | 79 | 79 | B3 | 74 | 74 | 74 |
| 0008EFF0 | 74 | D7 | 01 | AC | 09 | B3 | 09 | 09 | B3 | 04 | 04 | 04 | 04 | 01 | AC | 09 |

| Offset (h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 0008F3B0 | A9 | 51 | 4F | 51 | 51 | 4F | 51 | 4A | B6 | A8 | A8 | A8 | A8 | A8 | A8 | A9 |
| 0008F3C0 | 51 | 4F | 51 | 51 | 4F | 51 | 74 | B7 | 4A | 74 | B7 | 51 | 4F | 51 | 51 | 4F |
| 0008F3D0 | 51 | 74 | BA | 4A | BA | 74 | B7 | 51 | 4F | 51 | 51 | 4F | 51 | 74 | B7 | 4A |
| 0008F3E0 | 74 | B7 | 4A | 74 | BA | 74 | BA | 82 | B7 | 51 | 4F | 51 | 51 | 4F | 51 | F6 |
| 0008F3F0 | 02 | 04 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 |
| 0008F400 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | B7 | B9 | D6 | 05 | 2B |
| 0008F410 | AB | A9 | AB | A9 | AB | A9 | AB | 2B | AB | A9 | AB | A9 | AB | A9 | AB | F6 |
| 0008F420 | E5 | F3 | C4 | 50 | DC | 24 | C6 | 40 | D4 | C9 | 30 | 12 | EF | DD | 0A | E0 |
| 0008F430 | 08 | B7 | B9 | B7 | B9 | D6 | 04 | 2B | AB | A9 | AB | 2B | AB | A9 | AB | 2B |
| 0008F440 | AB | A9 | AB | 39 | AB | A9 | AB | 2B | AB | A9 | AB | 2B | AB | A9 | AB | 2B |

You can optionally put *00* or *FF* at the place of the rest of the old song. This way you can easily see where there is unused space.

| Offset (h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 0008F3E0 | 74 | B7 | 4A | 74 | BA | 74 | BA | 82 | B7 | 51 | 4F | 51 | 51 | 4F | 51 | F6 |
| 0008F3F0 | 02 | 04 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F400 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F410 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F420 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F430 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F440 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F450 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F460 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F470 | 00 | 00 | A1 | 05 | 98 | F4 | 15 | FA | 98 | F4 | A9 | F5 | 8B | F6 | 71 | F7 |

6. Changing the song pointer

If you have to put your song elsewhere in the ROM, you need to modify the pointer and you can

calculate its position will the below formula. It's simply pointers base offset + (song ID multiplied by 3). The other method is doing a hex search in HxD with the old offset of the song. In the case of as an example \$C8EFA6, search for A6EFC8.

$$\text{\$C53E96} + (0x21 * 0x03) = \text{\$C53EF9}$$

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 00053EE0 | C8 | C1 | CE | C8 | 30 | D3 | C8 | 56 | DA | C8 | BF | DD | C8 | 6B | E1 | C8 |
| 00053EF0 | 57 | E3 | C8 | E2 | E3 | C8 | 48 | EA | C8 | A6 | EF | C8 | 72 | F4 | C8 | 15 |
| 00053F00 | FA | C8 | 43 | FE | C8 | 4B | 05 | C9 | E9 | 05 | C9 | 66 | 0A | C9 | B6 | 90 |

7. Changing the instruments

Now the other part of the job is changing the song channels instruments. It's the same logic to calculate the beginning of a song instruments, except you multiply your song ID by 32 (0x20). The instruments file is 32 bytes in size (16 channels times 2 bytes per instruments). First byte is instrument ID, second byte is always 00.

$$\text{\$C53F95} + (0x21 * 0x20) = \text{\$C543B5}$$

Once the instruments data is pasted, save your ROM. Note that you can save (Ctrl+S) anytime during the tutorial, it does not matter.

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 000543A0 | 00 | 07 | 00 | 14 | 00 | 0F | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 000543B0 | 00 | 00 | 00 | 00 | 00 | 0D | 00 | 0E | 00 | 0C | 00 | 12 | 00 | 16 | 00 | 07 |
| 000543C0 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 000543D0 | 00 | 00 | 00 | 00 | 00 | 08 | 00 | 0E | 00 | 0D | 00 | 2C | 00 | 12 | 00 | 14 |
| 000543E0 | 00 | 16 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 000543F0 | 00 | 00 | 00 | 00 | 00 | 0D | 00 | 08 | 00 | 0B | 00 | 1B | 00 | 1E | 00 | 02 |
| 00054400 | 00 | 17 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 00054410 | 00 | 00 | 00 | 00 | 00 | 0D | 00 | 0E | 00 | 1E | 00 | 02 | 00 | 0F | 00 | 11 |
| 00054420 | 00 | 12 | 00 | 22 | 00 | 14 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |

You'll notice *The Prelude* has 6 instruments. As mentioned previously some songs downloaded from the forum (not a majority) might have incorrect instruments. In such an event, you'll need to assign the correct instruments. There is a complete list of original instruments [here](#). You'll need to identify each channel instrument and replace what you think are the wrong ones. A bit trial and error but you'll develop your music skills. If you have instruments IDs in your file from \$40 and above it mean your song require the instrument patch available in the same thread as the songs. The songs requiring will have a small "p" next to their name. The wrong assigned instruments are often those, because the author added more instruments in his hack without noticing the admins, resulting in instrument indexes above the limit of the patch.

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 000543A0 | 00 | 07 | 00 | 14 | 00 | 0F | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 000543B0 | 00 | 00 | 00 | 00 | 00 | 0D | 00 | 0E | 00 | 0C | 00 | 12 | 00 | 16 | 00 | 07 |
| 000543C0 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 000543D0 | 00 | 00 | 00 | 00 | 00 | 08 | 00 | 0E | 00 | 0D | 00 | 2C | 00 | 12 | 00 | 14 |
| 000543E0 | 00 | 16 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 000543F0 | 00 | 00 | 00 | 00 | 00 | 0D | 00 | 08 | 00 | 0B | 00 | 1B | 00 | 1E | 00 | 02 |
| 00054400 | 00 | 17 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |

8. Details on song channels

A thing that differs between songs available on the forum and original songs are the channel pointers in the song. Below is a channel of *The Prelude* and the song at the end loop toward the beginning of the blue section. The last command is F6 02 04 which mean continue by going back to 0x0402 byte after the start of the song. Every song in the original game have these command relative to their offset in the ROM meaning this F6 command would look like as F6 8E F3 (\$C8F38E). It would not be exactly this because a song don't redo the first channel commands twice but I talk about this because such a tutorial would not have been possible with an unmodified original song, because when you move it you need to change all the song loop commands and channel pointers at beginning of song data. By having the custom song channel pointers start at 00 00 and not the song offset last two bytes, we easy the process a lot.

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 0008F380 | A8 | A8 | A8 | 7E | B6 | 7E | B6 | 7E | 7E | B6 | F6 | CD | 03 | D4 | D9 | |
| 0008F390 | 01 | C4 | 50 | C6 | 40 | DC | 24 | B6 | A8 | A8 | A8 | A8 | A8 | A8 | A9 | AC |
| 0008F3A0 | D6 | 03 | 51 | 4F | 51 | 51 | 4F | 51 | 4A | B6 | A8 | A8 | A8 | A8 | A8 | A8 |
| 0008F3B0 | A9 | 51 | 4F | 51 | 51 | 4F | 51 | 4A | B6 | A8 | A8 | A8 | A8 | A8 | A8 | A9 |
| 0008F3C0 | 51 | 4F | 51 | 51 | 4F | 51 | 74 | B7 | 4A | 74 | B7 | 51 | 4F | 51 | 51 | 4F |
| 0008F3D0 | 51 | 74 | BA | 4A | BA | 74 | B7 | 51 | 4F | 51 | 51 | 4F | 51 | 74 | B7 | 4A |
| 0008F3E0 | 74 | B7 | 4A | 74 | BA | 74 | BA | 82 | B7 | 51 | 4F | 51 | 51 | 4F | 51 | F6 |
| 0008F3F0 | 02 | 04 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 0008F400 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |

Below, a loop command of an original song pointing at \$C8F9B9. In the case of a custom song, we would see more or less F6 0X YZ, likely something below 0x0A00.

| Offset(h) | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 0A | 0B | 0C | 0D | 0E | 0F |
|-----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| 0008F9E0 | 9E | D7 | 3C | D8 | 9E | 4A | B7 | 4A | 58 | B9 | 58 | 5B | E2 | 07 | 74 | D7 |
| 0008F9F0 | 2E | D8 | E3 | E3 | BA | 9E | BA | 9E | BA | 9E | BA | 9E | 7E | 9A | D7 | 0E |
| 0008FA00 | D8 | 7E | BA | 9E | BA | 9E | BA | 9E | BA | 9E | D7 | 00 | D8 | 8C | 62 | D7 |
| 0008FA10 | 00 | D8 | F6 | B9 | F9 | 2C | 04 | 3B | FA | 43 | FE | 3B | FA | BC | FA | 35 |
| 0008FA20 | FB | CD | FB | 62 | FC | C3 | FC | 28 | FD | 99 | FD | 3B | FA | BC | FA | 35 |
| 0008FA30 | FB | CD | FB | 62 | FC | C3 | FC | 28 | FD | 99 | FD | F0 | 49 | F4 | F8 | F7 |

9. Conclusion

This tutorial was aimed at beginners. The rest of music hacking is harder and require some practice.

However it is in the range of anyone having the time and patience to learn. As a conclusion I've made a small video showing the import and at the same time did a little tribute to those who contributed to the song database.

Result in-game

[sd-result.mp4](#)

From:

<https://www.ff6hacking.com/wiki/> - **ff6hacking.com wiki**

Permanent link:

<https://www.ff6hacking.com/wiki/doku.php?id=ff3:ff3us:tutorial:music:songdata&rev=1519289034>

Last update: **2019/02/12 08:13**

